

## CONVERSION TABLE

RIM DIAMETER (inches)	STANDARD									ROW CROP		SRI	
	SIZE (inches)	SERIE 85	SERIE 80	SERIE 75	SERIE 70	SERIE 65	SERIE 60	SERIE 55	SERIE 50	SIZE (inches)	SERIE 90-95 METRIC		
													METRIC MARKING
16					200/70 R16							330	
					220/70 R16 (4)							330	
	6.00 - 16				240/70 R16							350	
	6.50 - 16				260/70 R16	280/65 R16				-	180/95 R16	360	
18	7.50 - 16				280/70 R16	320/65 R16				-	210/95 R16	390	
	7.50 - 18				280/70 R18	320/65 R18				-	210/95 R18	410	
20					260/70 R20							410	
	7.50 - 20				280/70 R20	340/65 R18				-	210/90 R20	425	
	9.5 - 20	250/85 R20	260/80 R20		300/70 R20	340/65 R20				-	210/95 R20	450	
	11.2 - 20	280/85 R20			320/70 R20							475	
	12.4 - 20	320/85 R20	340/80 R20	340/75 R20	360/70 R20	420/65 R20						500	
		250/85 R24			300/70 R24					-	210/90 R24	500	
13.6 - 20			380/75R20	380/70 R20	440/65R20						525		
	280/85 R24	300/80R24		320/70 R24							525		
24	8.3 - 24	280/85 R20			320/70 R20							475	
	9.5 - 24	320/85 R20	340/80 R20	340/75 R20	360/70 R20	420/65 R20						500	
		250/85 R24			300/70 R24					-	210/90 R24	500	
	11.2 - 24			380/75R20	380/70 R20	440/65 R20						525	
		280/85 R24	300/80R24		320/70 R24							525	
	12.4 - 24	320/85 R24	340/80R24		360/70 R24	420/65 R24						550	
		250/85 R28				340/65 R28				-	210/95 R28	550	
	13.6 - 24	340/85 R24			380/70 R24	440/65 R24						575	
		280/85 R28			400/70 R24							575	
	14.9 - 24	380/85 R24	400/80R24		320/70 R28					8.3 R32	210/95 R32	575	
320/85 R28				420/70 R24	480/65 R24				9.5 R32	230/95 R32	600		
16.9 - 24	420/85 R24			360/70 R28	420/65 R28						600		
	340/85 R28			480/70 R24	540/65 R24						625		
26	16.9 - 26				480/70 R26	540/65 R26						650	
		380/85 R28	400/80R28		420/70 R28	480/65 R28	520/60 R28					650	
	18.4 - 26	320/85 R32								9.5 R36	230/95R36	650	
					520/70 R26							675	
		460/85 R26 (4)			580/70 R26				750/50 R26			675	
		420/85 R28	440/80R28		480/70 R28	540/65 R28	600/60 R28					675	
		380/85 R30			420/70 R30					11.2 R36	270/95 R36	675	
	23.1 - 26 28 - L26	320/85R34								9.5 R38	230/95 R38	675	
					620/75 R26	650/70 R26	750/65 R26					750	
					600/70 R30 (1)		710/60R30 (2)	750/55R30				750	
	28	9.5 - 28					600/65 R32						750
			420/85 R34	440/80 R34	480/75R34	480/70 R34	540/65 R34						750
11.2 - 28		340/85 R38		400/75 R38								750	
		300/85 R42								9.5 R44	230/95 R44	750	
12.4 - 28												750	
		320/85 R24	340/80R24		360/70 R24	420/65 R24						550	
13.6 - 28		250/85 R28				340/65 R28						550	
	340/85 R24			380/70 R24	440/65 R24						575		
14.9 - 28	280/85 R28			400/70 R24							575		
	380/85 R24	400/80R24		320/70 R28					8.3 R32	210/95 R32	575		
16.9 - 28	380/85 R24	400/80R24		420/70 R24	480/65 R24				9.5 R32	230/95 R32	600		
	320/85 R28			420/70 R28	420/65 R28						600		
16.9 - 28	420/85 R24			480/70 R24	540/65 R24						625		
	340/85 R28			380/70 R28	440/65 R28	480/60 R28			11.2 R32	270/95 R32	625		
16.9 - 28				480/70 R26	540/65 R26						650		
	380/85 R28	400/80R28		420/70 R28	480/65 R28	520/60 R28					650		
16.9 - 28	320/85 R32								9.5 R36	230/95 R36	650		
											675		
	460/85 R26 (4)			520/70 R26				750/50 R26			675		
	420/85 R28	440/80R28		580/70 R26	480/70 R28	540/65 R28	600/60 R28				675		
16.9 - 28	380/85 R30			420/70 R30							675		
	320/85R34								11.2 R36	270/95 R36	675		
									9.5 R38	230/95 R38	675		

**Bold sizes: available in BKT**

(1) also IF technology  
(2) only IF technology

(3) also VF technology  
(4) in development

For R2 type sizes please check SRI values on data book.

## CONVERSION TABLE

RIM DIAMETER (inches)	STANDARD									ROW CROP		SRI	
	SIZE (inches)	SERIE 85	SERIE 80	SERIE 75	SERIE 70	SERIE 65	SERIE 60	SERIE 55	SERIE 50	SIZE (inches)	SERIE 90-95 METRIC		
30	14.9 - 30	460/85 R26 (4)			520/70 R26				750/50 R26			<b>675</b>	
		<b>420/85 R28</b>	<b>440/80R28</b>		580/70 R26							675	
		<b>380/85 R30</b>			<b>480/70 R28</b>	<b>540/65 R28</b>	600/60 R28					675	
		<b>320/85R34</b>			<b>420/70 R30</b>						11.2 R36	<b>270/95 R36</b>	675
											9.5 R38	230/95 R38	675
	16.9 - 30				540/75R28		<b>600/65R28</b>						<b>700</b>
		<b>420/85 R30</b>	<b>440/80 R30</b>		<b>480/70 R30</b>	<b>540/65 R30</b>	600/60 R30						700
		<b>320/85 R36</b>									11.2 R38	<b>270/95 R38</b>	700
	18.4 - 30				<b>600/70 R28 (2)</b>								<b>725</b>
		<b>460/85 R30</b>	<b>480/80 R30</b>		520/70 R30	<b>600/65 R30</b>			710/55 R30				725
		<b>380/85R34</b>											725
		<b>340/85 R36</b>									9.5 R42	<b>230/95 R42</b>	725
	23.1 - 30				<b>620/75 R30</b>	650/70 R30	710/65R30						725
					540/75R34	<b>600/70R34</b>					8.3 R44	<b>210/95 R44</b>	725
											12.4 R42	<b>320/90 R42</b>	<b>800</b>
<b>420/85 R38</b>					<b>480/70 R38</b>	<b>540/65 R38</b>	600/60 R38			11.2 R46	<b>270/95 R46</b>	800	
32	8.3 - 32	<b>340/85 R24</b>			<b>380/70 R24</b>	<b>440/65 R24</b>						<b>575</b>	
					400/70 R24							575	
		<b>280/85 R28</b>			320/70 R28					8.3 R32	<b>210/95 R32</b>	575	
	9.5 - 32	<b>420/85 R24</b>			<b>480/70 R24</b>	<b>540/65 R24</b>							<b>625</b>
		<b>340/85 R28</b>			<b>380/70 R28</b>	<b>440/65 R28</b>	480/60 R28				11.2 R32	<b>270/95 R32</b>	625
	12.4 - 32				480/70 R26	540/65 R26							<b>650</b>
		<b>380/85 R28</b>	<b>400/80R28</b>		<b>420/70 R28</b>	<b>480/65 R28</b>	520/60 R28						650
		<b>320/85 R32</b>								9.5 R36	<b>230/95R36</b>	650	
	24.5 - 32				<b>650/75 R32</b>	680/70 R32		800/60 R32					<b>825</b>
					620/75 R34		<b>650/65 R34 (2)</b>	<b>710/60 R34 (2)</b>					825
		<b>460/85 R38</b>	<b>480/80R38</b>	520/75R38	<b>520/70 R38</b>	<b>600/65 R38</b>					12.4 R46	<b>320/90 R46</b>	825
		<b>340/85 R46</b>									12.4 R46	<b>300/95 R46</b>	825
											11.2 R48	<b>270/95 R48</b>	825
	30.5 - L32				680/75 R32		<b>800/65 R32</b>		900/55 R32	1050/50R32			<b>875</b>
					710/75 R32								875
				650/75 R34	680/70 R34	750/65 R34						875	
<b>520/85 R38</b>				<b>580/70 R38</b>	<b>650/65 R38</b>	710/60 R38						875	
				<b>620/70 R38 (4)</b>								875	
460/85 R42		<b>480/80 R42</b>			600/65 R42							875	
		420/80R46								14.9 R46	<b>380/90 R46 (3)</b>	875	
<b>340/85 R48</b>									12.4 R50	<b>320/90 R50</b>	875		
34	14.9 - 34				600/70 R28 (2)							<b>725</b>	
		<b>460/85 R30</b>	<b>480/80 R30</b>		520/70 R30	600/65 R30		710/55 R30				725	
		<b>380/85R34</b>										725	
		<b>340/85 R36</b>								9.5 R42	<b>230/95 R42</b>	725	
	16.9 - 34										8.3 R44	<b>210/95 R44</b>	725
													<b>750</b>
					<b>620/75 R26</b>	650/70 R26	<b>750/65 R26</b>			1000/50R25			750
						<b>600/70 R30 (1)</b>		710/60R30 (2)	750/55R30				750
							600/65 R32						750
		<b>420/85 R34</b>	<b>440/80 R34</b>	480/75R34	<b>480/70 R34</b>	<b>540/65 R34</b>							750
		<b>340/85 R38</b>		400/75 R38									750
	<b>300/85 R42</b>									9.5 R44	<b>230/95 R44</b>	750	
	18.4 - 34	<b>460/85 R34</b>	<b>480/80R34</b>	520/75 R34	<b>520/70 R34</b>	<b>600/65 R34</b>							<b>775</b>
		<b>380/85 R38</b>	380/80 R38								11.2 R44	<b>270/95 R44</b>	775
	23.1 - 34				<b>650/75 R32</b>	680/70 R32		800/60 R32					<b>825</b>
				620/75 R34		<b>650/65 R34 (2)</b>	<b>710/60 R34 (2)</b>					825	
<b>460/85 R38</b>		<b>480/80R38</b>	520/75R38	<b>520/70 R38</b>	<b>600/65 R38</b>					12.4 R46	<b>320/90 R46</b>	825	
<b>340/85 R46</b>										12.4 R46	<b>300/95 R46</b>	825	
									11.2 R48	<b>270/95 R48</b>	825		

**Bold sizes: available in BKT**

(1) also IF technology  
(2) only IF technology

(3) also VF technology  
(4) in development

For R2 type sizes please check SRI values on data book.

## CONVERSION TABLE

RIM DIAMETER (inches)	SIZE (inches)	STANDARD								ROW CROP		SRI	
		SERIE 85	SERIE 80	SERIE 75	SERIE 70	SERIE 65	SERIE 60	SERIE 55	SERIE 50	SIZE (inches)	SERIE 90-95 METRIC		
		METRIC MARKING											
36	12.4 - 36	420/85 R30	440/80 R30	540/75R28	480/70 R30	600/65R28	600/60 R30					700	
		320/85 R36									11.2 - 38	270/95 R38	700
	13.6 - 36				600/70 R28 (2)								725
		460/85 R30	480/80 R30		520/70 R30	600/65 R30		710/55 R30					725
		380/85R34											725
		340/85 R36									9.5 R42	230/95 R42	725
		320/85 R38									8.3 R44	210/95 R44	725
	38	12.4 - 38				600/70 R28 (2)							725
			460/85 R30	480/80 R30		520/70 R30	600/65 R30		710/55 R30				725
380/85R34													725
340/85 R36											9.5 R42	230/95 R42	725
320/85 R38											8.3 R44	210/95 R44	725
13.6 - 38					620/75 R26	650/70 R26	750/65 R26				1000/50R25		750
													750
					600/70 R30 (1)			710/60R30 (2)	750/55R30				750
		420/85 R34	440/80 R34	480/75R34	480/70 R34	540/65 R34							750
		340/85 R38		400/75 R38									750
		300/85 R42											750
		460/85 R34	480/80R34	520/75 R34	520/70 R34	600/65 R34							775
		380/85 R38	380/80 R38										775
14.9 - 38					620/75 R30	650/70 R30	710/65R30						800
					540/75R34	600/70R34							800
		420/85 R38			480/70 R38	540/65 R38	600/60 R38						800
					650/75 R32	680/70 R32	800/60 R32						825
16.9 - 38					620/75 R34		650/65 R34 (2)	710/60 R34 (2)					825
		460/85 R38	480/80R38	520/75R38	520/70 R38	600/65 R38							825
		340/85 R46											825
											11.2 R48	270/95 R48	825
20.8 - 38					680/75 R32		800/65 R32		900/55 R32	1050/50R32			875
					710/75 R32								875
					650/75 R34	680/70 R34	750/65 R34						875
		520/85 R38			580/70 R38	650/65 R38	710/60 R38						875
					620/70 R38 (4)								875
		460/85 R42	480/80 R42			600/65 R42							875
			420/80R46										875
	340/85 R48									14.9 R46	380/90 R46 (3)	875	
										12.4 R50	320/90 R50	875	
												875	
42	16.9 - 42			650/75 R32	680/70 R32		800/60 R32					825	
				620/75 R34		650/65 R34 (2)	710/60 R34 (2)					825	
		460/85 R38	480/80R38	520/75R38	520/70 R38	600/65 R38						825	
		340/85 R46									11.2 R48	270/95 R48	825
	18.4 - 42				680/75 R32		800/65 R32		900/55 R32	1050/50R32			875
					710/75 R32								875
					650/75 R34	680/70 R34	750/65 R34						875
		520/85 R38			580/70 R38	650/65 R38	710/60 R38						875
					620/70 R38 (4)								875
		460/85 R42	480/80 R42			600/65 R42							875
			420/80R46										875
		340/85 R48									14.9 R46	380/90 R46 (3)	875
										12.4 R50	320/90 R50	875	
	20.8 - 42				710/75R34	800/70R32		900/60R32					925
					650/75R38	710/70R38							925
		520/85 R42			580/70 R42	650/65 R42	710/60 R42		900/50 R42				925
					620/70 R42								925
					480/80 R46								925
										12.4 R54	270/95 R54	925	

**Bold sizes: available in BKT** (1) also IF technology (2) only IF technology (3) also VF technology (4) in development For R2 type sizes please check SRI values on data book.

## CONVERSION TABLE

RIM DIAMETER (inches)	STANDARD									ROW CROP		SRI	
	SIZE (inches)	SERIE 85	SERIE 80	SERIE 75	SERIE 70	SERIE 65	SERIE 60	SERIE 55	SERIE 50	SIZE (inches)	SERIE 90-95 METRIC		
													METRIC MARKING
46	14.9 - 46			680/75 R32		800/65 R32		900/55 R32	<b>1050/50R32</b>			<b>875</b>	
				710/75 R32									875
				650/75 R34	680/70 R34	750/65 R34							875
		<b>520/85 R38</b>			<b>580/70 R38</b>	650/65 R38	710/60 R38						875
					<b>620/70 R38 (4)</b>								875
		460/85 R42	<b>480/80 R42</b>			600/65 R42							875
		420/80R46								14.9 R46	<b>380/90 R46 (3)</b>	875	
		<b>340/85 R48</b>								12.4 R50	<b>320/90 R50</b>	875	
	18.8 - 46	680/85R32		710/75R34	800/70R32		<b>900/60R32</b>						<b>925</b>
				650/75R38	<b>710/70R38</b>								925
		<b>520/85 R42</b>			580/70 R42	650/65 R42	710/60 R42		900/50 R42	12.4 R52	<b>300/95 R52</b>	925	
					<b>620/70 R42</b>					11.2 R54	<b>270/95 R54</b>	925	
		<b>480/80 R46</b>							12.4 R54	<b>320/90 R54</b>	925		
	20.8 - 46			800/75R32	900/70R32								<b>975</b>
		<b>650/85 R38</b>			<b>800/70 R38</b>		<b>900/60 R38 (2)</b>						975
				650/75R42	<b>710/70 R42 (1)</b>								975
		<b>520/85 R46</b>			<b>620/70 R46</b>	650/65 R46							975
			<b>480/80R50</b>							14.9 R50	<b>380/90 R50</b>	975	
48	13.6 -48			680/75 R32		800/65 R32		900/55 R32	<b>1050/50R32</b>			<b>875</b>	
				710/75 R32								875	
				650/75 R34	680/70 R34	750/65 R34						875	
		<b>520/85 R38</b>			<b>580/70 R38</b>	650/65 R38	710/60 R38					875	
					<b>620/70 R38 (4)</b>							875	
		460/85 R42	<b>480/80 R42</b>			600/65 R42						875	
		420/80R46							14.9 R46	<b>380/90 R46 (3)</b>	875		
		<b>340/85 R48</b>							12.4 R50	<b>320/90 R50</b>	875		
50	18.4 - 50			800/75R32	900/70R32							<b>975</b>	
		<b>650/85R38</b>			<b>800/70R38</b>		<b>900/60 R38 (2)</b>					975	
				650/75R42	<b>710/70 R42 (1)</b>							975	
		<b>520/85 R46</b>			<b>620/70 R46</b>	650/65 R46						975	
		<b>480/80R50</b>							14.9 R50	<b>380/90 R50</b>	975		
-			710/75 R42			900/60 R42 (2)					<b>1025</b>		

**Bold sizes: available in BKT**

(1) also IF technology  
(2) only IF technology

(3) also VF technology  
(4) in development

For R2 type sizes please check SRI values on data book.